



防爆电气设备
Electrical Apparatus for Explosive Atmospheres

防爆合格证

CERTIFICATE OF CONFORMITY

证书编号 No: CLEx22.7947

制 造 商 沈阳中科博微科技股份有限公司
Manufacturer 地址: 沈阳市浑南新区文溯街 17-8 号 1 号楼 1-3 层

产 品 名 称 有源现场总线分配器
Name of Product

型 号 规 格 MCAFD4 DC17.5V 75mA
Type of Product

防 爆 标 志 Ex ia IIC T4 Ga
Ex-Marking

产 品 标 准 Q/BW04-2021
Standard Product

总 装 图 号 ZJ-00-01
Drawing No.

经对上述产品图样及技术文件的审查和样品检验, 确认符合下列标准:
The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:

GB/T3836.1-2021 爆炸性环境 第1部分: 设备 通用要求
GB/T3836.4-2021 爆炸性环境 第4部分: 由本质安全型“i”保护的设备

说 明 事 项 本安参数 U_i : 18V, I_i : 120mA, C_i : 0pF, L_i : 5mH.
Explanation *****

批 准
Approved by

徐波波

发 证 日 期
Date of issue

2022 年 09 月 28 日

有 效 期 至
Valid date

2027 年 09 月 27 日

国家低压防爆电器质量检验检测中心(辽宁)
National quality inspection and testing center for low voltage
explosion-proof electrical apparatus (Liaoning)



本证书仅对符合送检样品的产品有效, 证书持有人有责任保证产品符合标准规定。
This certificate is only valid for the products which identify with the sample(s) tested and verify certificate have the responsibility to ensure the products complying with relevant standard(s).

地址: 中国·辽宁 沈阳经济技术开发区细河四北街 6 号

ADD: No.6, Xihe 4 North Street, Shenyang Economic & technological Development Area, Liaoning, China

电话 TEL: 024-62832918 62832910 邮编 P.C: 110027

E-mail: gjdyfb@163.com http://dyfb.syzjy.net

28570914331



2201322